

SUSTAINABILITY DECLARATION

UNI Large 1200x3600 Ellipse



MATERIA®

MATERIAL CONTENT

Material	Weight	Percentage
Wood -MDF FSC	65,8 kg	65,5 %
Steel	24,18 kg	24,1 %
Aluminium	10,4 kg	10,4 %
Fabric	0 kg	0 %
Foam	0 kg	0 %
Plastic	0 kg	0 %
Total	100,38 kg	100%

Disclaimer: Material content is based on UNI Large Ø1100. Numbers may vary based on model and options selected.
This applies throughout the declaration

RECYCLED MATERIAL

Post-consumer recycled content	13,16 + 3,12 = 16,28 kg	16,2 %
Pre-consumer recycled content	0 kg	0 %
Total recycled content	16,28 kg	16,2 %

RECYCLABILITY:

Steel	24,18 kg	24,1 %
Aluminium	10,4 kg	10,4 %
Total material recycling	34,58 kg	34,5 %

Wood -MDF FSC	65,8 kg	65,5 %
-	-	-
Total energy recovery	65,8 kg	65,5 %

TOTAL CO2:



ENERGY VALUE: (in accordance with NF Environnement): 2968 MJ

FULFILLED TECHNICAL STANDARDS

- EN 15372 Strength, durability and safety for Tables
- EN 1730 Test methods for the determination of the strength and durability for Tables
- EN 1730 Determination of stability Tables
- EN 12720 Assessment of surface resistance to cold liquids
- SIS 83 91 17 Assessment of surfaces resistance to scratches
- EN ISO 105-E04 Colour fastness to perspiration

FULFILLED FIRE REQUIREMENTS

- EN 1021-1 Assessment of the ignitability of upholstered furniture – part 1: Ignition source smouldering cigarette.
- EN 1021-2 Assessment of the ignitability of upholstered furniture – part 2: Ignition source match flame equivalent
- Euroclass D

Disclaimer: Fire requirements EN 1021-1 and EN 1021-2 are based on fabric Synergy from Camira.

FULFILLED TECHNICAL STANDARDS • EN 15372 Strength, durability and safety requirements for non domestic table as meeting table, coffee table • EN 1730 Test methods of test for the determination of strength, durability and stability • EN 12720 Assessment of surface resistance to cold liquids • SS 839117 Assessment of resistance to spotting from fat on scratched surface • EN 12722 Assessment of surfaces resistance to dry heat • SIS 839117 Assessment of surfaces resistance to scratches FULFILLED FIRE REQUIREMENTS • Euroclass D



Fulfills the requirements of the Möbelfakta

CHEMICAL DATA

The product does not contain:

Substances on Reach candidate list

Asbestos

Heavy metals

PVC

Hexavalent chromium


COMPANY CERTIFICATIONS

- ISO 14001
- ISO 9001
- ISO 45001
- FSC® Chain of Custody

PACKAGING AND TRANSPORT

Packaged in recyclable packaging. Materia is connected to FTI, the Swedish nationwide recycling system for packaging. Shipped with external carriers.

RECYCLING



MATERIAL	ID	Disassembly	Waste Fraction
Wood -MDF FSC	8	Screwdriver	Combustible waste - Wood
Steel	1,2,3,6,7,9,11,12	Screwdriver	Metal
Aluminium	4,5	Screwdriver	Metal
Plastic	6,7	Screwdriver/Knife	Plastic

*The product should in first hand be reused or remade before recycling its components.

CARE AND MAINTENANCE RECOMMENDATIONS

Please visit our webpage.

www.materia.se

Verified date: DL 2025-05-05